

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | . ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------------------------|-------------|----------------------|-----------------------|------------------|
| 10/025,526 | 12/18/2001 | Johan Nilsson | P12889US2 | 6219 |
| 27045 7590 07/31/2007 EXAMINER | | | | INER |
| 6300 LEGACY | DRIVE | · | BHATTACHARYA, SAM | |
| M/S EVR 1-C-11 PLANO, TX 75024 | | - | ART UNIT | PAPER NUMBER |
| , | | | 2617 | |
| | | | | |
| | | | MAIL DATE | DELIVERY MODE |
| | | | 07/31/2007 | PAPER |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

| | Application No. | Applicant(s) | | | |
|--|--|--|--|--|--|
| | 10/025,526 | NILSSON ET AL. | | | |
| Office Action Summary | Examiner | Art Unit | | | |
| | Sam Bhattacharya | 2617 | | | |
| The MAILING DATE of this communication app Period for Reply | ears on the cover sheet with the c | orrespondence address | | | |
| A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). | ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timused and will expire SIX (6) MONTHS from a cause the application to become ABANDONE | N. nely filed the mailing date of this communication. D (35 U.S.C. § 133). | | | |
| Status | | | | | |
| 1) Responsive to communication(s) filed on 23 April 2007. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. | | | | | |
| Disposition of Claims | | | | | |
| 4) Claim(s) 16,19-21,24,26,28-32 and 34-40 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 16,19-21,24,26,28-32 and 34-40 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. | | | | | |
| Application Papers | | | | | |
| 9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomplicated any not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Example 11. | epted or b) objected to by the drawing(s) be held in abeyance. Section is required if the drawing(s) is ob | e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d). | | | |
| Priority under 35 U.S.C. § 119 | | | | | |
| 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received: | | | | | |
| Attachment(s) | | | | | |
| 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date | 4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other: | ate | | | |

Application/Control Number: 10/025,526

Art Unit: 2617

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 16, 19-21, 24, 26, 28-32, 34, 36-40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bergstrom et al. (US 6,131,013) in view of Heinonen et al. (US 6,363,127) and O'Byrne (US 6,243,584).

Regarding claims 16, 21, 26, 28, 34 and 36, Bergstrom et al. disclose a mobile communications terminal 304 including an electronic circuit 314 configured to receive a wireless communications signal carrying signal channels with transmitted information, the electronic circuit comprising signal processing units adapted to provide at least one of: a signal representing gain from an automatic gain control unit (gain signal); a transmission power control command signal (TPC command signal); a signal representing strength of the wireless communications signal; and a signal representing a signal-to-interference ratio; and wherein the type of interference is classified in one of at least two predetermined classes of interference. See col. 3, lines 39-51, and col. 6, line 56 – col. 7, line 35. Signal processing units in Bergstrom are adapted to provide a signal representing signal-to-noise (or interference) ratio of the received signal.

Bergstrom fails to disclose an interference classifier adapted to classify a type of interference affecting communications quality by evaluating time-domain behavior of at least

Art Unit: 2617

one of an AGC signal, a TPC command signal, a signal representing the strength of the wireless communications signal, and the signal representing the signal-to-interference ratio.

However, in an analogous art, Heinonen discloses a receiver that compensates for inference in a received signal, the receiver including an interference classifier adapted to classify a type of interference affecting communications quality by evaluating time-domain behavior of an AGC signal or the strength of the signal. See col. 6, line 62 – col. 7, line 24. It would have been obvious to one of ordinary skill in the art to include to modify the mobile communications terminal of Bergstrom by including an interference classifier to classify interference by evaluating time-domain behavior of an AGC signal or the strength of the signal, as taught by Heinonen, for the purpose of compensating for rapid and wide variations in the signal level due to channel and multipath fading over a period of time.

The combination of Bergstom and Heinonen fails to disclose that a first class of interference includes inter-cell interference and a second class of interference includes intra-cell interference, and the interference classifier identifies and discriminates between inter-cell interference and intra-cell interference.

However, in an analogous art, O'Byrne discloses a mobile communication system for achieving disturbance-free operation wherein a first class of interference includes inter-cell interference and a second class of interference includes intra-cell interference, and an interference classifier identifies and discriminates between inter-cell interference and intra-cell interference. See FIG. 1 and col. 2, lines 27-33. Therefore, it would have been obvious to one of ordinary skill in the art to include to modify the mobile communications terminal of Bergstrom and Heinonen by incorporating these features taught in O'Byrne for the purpose of achieving

Application/Control Number: 10/025,526

Art Unit: 2617

minimal disturbance and interference when the mobile station is inside a cell as well as traveling from one cell to another.

Regarding claim 19, Bergstrom et al. disclose means for processing the wireless communication signal via a set of filter coefficients selected dependent upon of a classified type of interference. See col. 18, line 49 – col. 19, line 5.

Regarding claims 20 and 24, Bergstrom et al. disclose that the filter means comprises a low-pass filter; and the low-pass filter has a relatively wide band-width when interference is classified to be intra-cell interference and a relatively narrow band-width when interference is classified to be inter-cell interference. See FIGS. 17 and 23, col. 16, lines 10-19, col. 19, line 50 – col. 20, line 30.

Bergstrom fails to disclose an interference classifier adapted to classify a type of interference affecting communications quality by evaluating time-domain behavior of at least one of an AGC signal, a TPC command signal, a signal representing the strength of the wireless communications signal, and the signal representing the signal-to-interference ratio.

However, in an analogous art, Heinonen discloses a receiver that compensates for inference in a received signal, the receiver including an interference classifier adapted to classify a type of interference affecting communications quality by evaluating time-domain behavior of an AGC signal. See col. 6, line 62 – col. 7, line 24. It would have been obvious to one of ordinary skill in the art to modify the mobile communications terminal in Bergstrom by including including an interference classifier to classify interference by evaluating time-domain behavior of an AGC signal, as taught by Heinonen, for the purpose of compensating for rapid and wide variations in the signal level due to channel and multipath fading over a period of time.

Art Unit: 2617

Regarding claims 29, 30, 37 and 38, Bergstrom discloses that the interference classifier is coupled to the electronic circuit, the interference classifier being adapted to output predetermined binary signals, the state of the predetermined binary signals operable to select a different interference reduction algorithm depending on the type of interference, where a first predetermined binary signal corresponds to the event of inter-cell interference and a second predetermined binary signal corresponds to the event of intra-cell interference. See col. 3, lines 39-51 and col. 5, lines 52-58.

Regarding claims 31, 32, 39 and 40, Bergstrom discloses a filter means for processing the wireless signal via a set of filter coefficients selected dependent upon the predetermined binary signal outputted, where the filter means includes a low pass filter having a wide band width when the predetermined binary signal corresponds to intra-cell and a narrow band width when the binary signal corresponds to inter-cell. See FIGS. 17 and 23, col. 16, lines 10-13 and lines 17-19, col. 18, line 35-40, col. 19, line 39-43 and col. 19, line 50 – col. 20, line 30.

3. Claim 35 is rejected under 35 U.S.C. 103(a) as being unpatentable over Bergstrom et al. in view of Heinonen et al. and Smith et al. (US 5,809,017), and further in view of O'Byrne et al..

Regarding claim 35, the combination of Bergstrom and Heinonen fails to specifically disclose signal processing units adapted to provide a signal representing a gain from a transmission power command control (TPC command signal), and the interference classifier adapted to classify a type of interference affecting communications quality by evaluating the time-domain behavior of the TPC command signal.

Application/Control Number: 10/025,526 Page 6

Art Unit: 2617

However, in an analogous art, Smith discloses signal processing units adapted to provide a signal representing a gain from a transmission power command control (TPC command signal), and the interference classifier adapted to classify a type of interference affecting communications quality by evaluating the time-domain behavior of the TPC command signal. See col. 3, lines 29-58. It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the mobile communications terminal of Bergstrom and Heinonen by including the above-mentioned features taught by Smith for the purpose of setting limits to the variation of the transmitted power over time, thereby minimizing interference of adjacent channels.

The combination of Bergstrom, Heinonen and Smith fails to disclose that the interference classifier identifies and discriminates between intra-cell interference and inter-cell interference.

However, in an analogous art, O'Byrne discloses a mobile communication system for achieving disturbance-free operation wherein a first class of intereference includes inter-cell interference and a second class of interference includes intra-cell interference, and an interference classifier identifies and discriminates between inter-cell interference and intra-cell interference. See FIG. 1 and col. 2, lines 27-33. Therefore, it would have been obvious to one of ordinary skill in the art to include to modify the mobile communications terminal of Bergstrom and Heinonen by incorporating these features taught in O'Byrne for the purpose of achieving minimal disturbance and interference when the mobile station is inside a cell as well as traveling from one cell to another.

Art Unit: 2617

Response to Arguments

4. Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sam Bhattacharya whose telephone number is (571) 272-7917. The examiner can normally be reached on Weekdays, 9-6, with first Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, George Eng can be reached on (571) 272-7495. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Maltallay